




ZAMPANO

Design: Dieter Stierli



girsberger


ZAMPANO



Versions Modelos **Uitvoering**

			
1	Zampano 1 Seat width 490 mm Anchura de asiento 490 mm Zitbreedte 490 mm Backrest height 540 mm Altura de respaldo 540 mm Rughoogte 540 mm	●	
2	Zampano 2 Seat width 525 mm Anchura de asiento 525 mm Zitbreedte 525 mm Backrest height 695 mm Altura de respaldo 695 mm Rughoogte 695 mm	●	
Seat Asiento Zitting			
3	Twin mechanism, synchronous and individual adjustment Mecanismo gemelo, ajuste sincronizado e individual Twinmechaniek, synchrone en individuele instelling Seat height adjustment 115 mm shock-absorbing suspension Ajuste de altura del asiento 115 mm suspensión elástica de confort Zithoogteverstelling 115 mm comfortabele dieptegeving	●	
4	Seat depth adjustment 40 mm Ajuste en profundidad del asiento 40 mm Zitdiepteverstelling 40 mm	●	
Backrest Respaldo Rug			
5	Backrest adjustable in height 75 mm Respaldo regulable en altura 75 mm Rug hoogteverstelbaar 75 mm	●	
6	Backrest Original Respaldo Original Rug Original	●	●
7	Backrest Soft Respaldo Soft Rug Soft Clip-mounted cushions Cojines fijados mediante clips Clippgemonteerde kussen	○	○
Armrests Reposabrazos Armlegger			
Fixed Fijo Vast			
8	2-D ring-shaped adjustable height 100 mm width 60 mm 2-D aro regulable en altura 100 mm anchura 60 mm 2-D ovaal verstelbaar hoogte 100 mm breedte 60 mm	●	
9	2-D T adjustable height 100 mm width 60 mm 2-D T regulable en altura 100 mm anchura 60 mm 2-D T verstelbaar hoogte 100 mm breedte 60 mm	●	
10	2-D T PU / upholstered adjustable height 100 mm width 60 mm 2-D T PU / tapizado regulable en altura 100 mm anchura 60 mm 2-D T PU / gestoffeerd verstelbaar hoogte 100 mm breedte 60 mm	●/●	
11	4-D T PU / upholstered pad adjustable angle +/- 30° depth 55 mm 4-D T PU / tapizado pad regulable ángulo +/- 30° profundidad 55 mm 4-D T PU / gestoffeerd armleggeropdekje verstelbaar hoek +/- 30° diepte 55 mm	●/●	
Base Base Onderstel			
Base flat/high Base plana/alta Onderstel plat/hoog			
Base plastic black Base sintética negra Onderstel kunststof zwart			
Base aluminium polished / chromed Base de aluminio pulido / cromado Onderstel aluminium gepolijst / verchroomd			
Base aluminium black-coated / matte-coated Base de aluminio epoxi negro / epoxi mate Onderstel aluminium zwart geëpoxeerd / mat geëpoxeerd			
Features Equipamiento Opties			
Electrically conductive version Ejecución con conductividad eléctrica Uitvoering electriciteits-geleiding			
12	Headrest black / chromed Reposacabezas negro / cromado Hoofdsteun zwart / verchroomd	○/○	
13	Coat hanger black / chromed Percha negra / cromada Kleerhanger zwart / verchroomd Lumbar support adjustable in depth Apoyo lumbar regulable en profundidad Lumbaalsteun in diepte verstelbaar	○/○	
Visitor chair Silla de visitas Bezoekersstoel			
14	Cantilever frame black / chromed Silla de patín negra / cromada Sledemodel zwart / verchroomd Cantilever frame aluminium matte-coated Silla de patín aluminio epoxi mate Sledemodel aluminium mat geëpoxeerd		●/●

● standard estándar **standaard** ○ optional opcional **optioneel**



Girsberger AG, Bützberg, CH
 Girsberger AG, Wien, A
 Girsberger France, Paris, F
 Girsberger GmbH, Endingen, D
 Girsberger UK, London, GB
 Girsberger Benelux BV, Amsterdam, NL
 Girsberger Industries, Inc., Smithfield, USA
 Tuna-Girsberger Tic. AS, Silivri, TR

mail@girsberger.com
 www.girsberger.com

5 years guarantee
 5 años de garantía
 5 jaar garantie



Measurements according to EN 1335. Information subject to alterations
 Medidas según EN 1335. Reservado el derecho a modificaciones
 Maten volgens NEN-EN 1335 en NPR 1813. Informatie onder voorbehoud
 van wijzigingen

girsberger